



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/829,544	04/22/2004	Adam J. Almen	2010.3-US-01	7295
22865	7590	07/05/2007		
ALTERA LAW GROUP, LLC 6500 CITY WEST PARKWAY SUITE 100 MINNEAPOLIS, MN 55344-7704			EXAMINER PATEL, NATASHA	
			ART UNIT 3766	PAPER NUMBER
			MAIL DATE 07/05/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/829,544

Applicant(s)

ALMEN, ADAM J.

Examiner

Natasha N. Patel

Art Unit

3766

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 April 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 28-77 is/are pending in the application.
- 4a) Of the above claim(s) 28-52 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 53-77 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03 October 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- 1) ☐ Certified copies of the priority documents have been received.
 - 2) ☐ Certified copies of the priority documents have been received in Application No. _____.
 - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

The RCE filed April 18, 2007 has been received and considered. By this RCE, Claims 1-27 are cancelled, Claims 28-52 have been withdrawn, and Claim 77 has been added. Thus, Claims 53-77 are now pending in the application.

Response to Arguments

1. Applicant's arguments, see pages 12-19, filed April 18, 2007, with respect to the rejection(s) of claim(s) 53-76 under 35 USC § 103 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Schroepel et al. (US Patent 6,571,122) and Halyak (US Patent 5,928,133).
2. Examiner points to page 14, lines 15-20 of the Applicant's Specification where it discloses that the threshold can be either predetermined or non-predetermined. Accordingly, whether the threshold is predefined or calculated is a matter of obvious design choice. Each method has its own advantages. For example, a predetermined threshold allows for a less complex system, while a non-predetermined threshold allows for a more accurate system. Either method is able to monitor heart rate variability for the purposes of recognizing sleep stages, activity levels, health conditions, etc.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 3766

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 53-68 and 77 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schroepfel et al. (US Patent 6,571,122) in view of Halyak (US Patent 5,928,133).

5. Regarding Claims 53 and 77, Schroepfel discloses a heart rate variability monitor (see stimulator 10 and Abstract), comprising: at least two electrical contacts (see tips 52 and 62) for detecting analog electrical signals generated within a user's body when placed in contact with the body; a circuit that conditions the electrical signals and converts the analog electrical signals to digital signal data (see col. 6, lines 66-67); a heart rate variability signal processor (see microprocessor 12) that monitors and analyzes the digital signal data for a defined time interval (see col. 4, lines 10-16 and col. 6, line 66-col. 7, line 16), calculates parameters comprising the mean digital signal value and at least one standard deviation of the digital signal data monitored (see col. 3, lines 12-14 and col. 7, lines 42-50) and analyzed over the defined time interval and establishes a threshold level based on the calculated parameters (see col. 8, lines 59-60 and Abstract), wherein the calculated threshold level is not predetermined and does reflect the user's actual heart rate and heart rate variability over the defined time interval, and wherein the processor performs at least one heart rate variability test (see col. 3, lines 65-67); and a memory that stores at least the parameters (see memory 16, col. 3, lines 21-23, and col. 10, lines 50-51). The examiner considers that some type of circuitry is necessary for digitizing the signals received from the heart, therefore the well known use of A/D converters would have been obvious to one of ordinary skill in the art at the time of the invention. Furthermore, Schroepfel does not disclose a wrist worn

Art Unit: 3766

monitor. However, Halyak discloses a similar monitor wherein the sensors are worn on the wrist (see col. 4, lines 58-59) as is well known in the art. It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate a wrist worn monitor because Halyak teaches that doing so provides a more successful, less invasive form of monitoring (see col. 4, lines 58-59 and lines 3-5).

6. Regarding Claim 54, Schroepfel discloses that the processor performs at least one heart rate variability test including comparison of the digital data against calculated parameters (see col. 3, lines 29-31).

7. Regarding Claim 55, Schroepfel discloses that the analog electrical signals are generated by the heart (see Figure 1 and col. 6, lines 66-67).

8. Regarding Claim 56, Schroepfel discloses the calculated parameters are awake parameters calculated over the defined time interval comprising the mean awake heart rate value and at least one standard deviation thereof (see col. 13, lines 31-35).

9. Regarding Claim 57, Schroepfel discloses that the circadian variation is taken into consideration when monitoring the HRV (see col. 13, lines 24-35). However, Schroepfel does not elaborate on the different stages of sleep (see col. 13, lines 27-31). Halyak discloses the calculation of parameters comprising the mean non-REM heart rate value (see col. 4, lines 30-38). The examiner considers non-REM to be the spikes that occur at the beginning and end of the REM cycle because the Applicant discloses that non-REM occurs between the awake stage and the REM stage (see page 3, lines 2-5). As to the standard deviation, see rejection of similarly worded Claim 53 above. It would have been obvious to one of ordinary skill in the art at the time of the

Art Unit: 3766

invention to utilize Schroepel's device for monitoring the heart during different stages of sleep and activity because Halyak teaches that several physiological changes occur during sleep and these changes are useful in determining the most optimal waking time (see col. 1, lines 10-15 and col. 3, lines 21-26). The examiner considers that HRV is a type of physiological change.

10. Regarding Claim 58, modified Halyak discloses the parameters comprise the mean REM heart rate value (see 36; col. 4, lines 32-33). As to the standard deviation, see rejection of similarly worded Claim 53 above.

11. Regarding claim 59, see rejection of similarly worded Claims 53 and 56 above. Furthermore, modified Halyak discloses performing at least one heart rate variability test using awake parameters and recognize when the user has entered non-REM sleep (see col. 4, lines 30-38). The examiner considers that Halyak's device is constantly performing a heart rate variability test in order to determine whether the patient is awake, in non-REM, or in REM. The test comprises of comparing the collected heart rate to the predetermined thresholds.

12. Regarding Claim 60, see rejection of similarly worded Claims 53 and 57 above. Furthermore, modified Halyak discloses performing at least one heart rate variability test using the non-REM parameters and recognize when the user has entered awake state (see 'spikes of activity' col. 4, lines 33-35) or REM sleep (see 36; col. 4, lines 32-33). Again, the examiner considers that Halyak's device is constantly performing a heart rate variability test (see reasons stated in the rejection of Claim 59).

Art Unit: 3766

13. Regarding Claim 61, see rejection of similarly worded Claims 53 and 58 above. Furthermore, modified Halyak discloses performing at least one heart rate variability test using the using the REM parameters and recognize when the user exits REM sleep (see end of REM cycle; col. 4, lines 33-35). The examiner considers that Halyak's device is constantly performing a heart rate variability test (see reasons stated in the rejection of Claim 59).
14. Regarding Claim 62, Schroeppel discloses a processor that is capable of performing the at least one heart rate variability test while the user is awake and resting (see col. 1, lines 31-33 and lines 59-63).
15. Regarding Claim 63, Schroeppel discloses a processor that is capable of performing the at least one heart rate variability test while the user is physically active (see col. 13, lines 32-35).
16. Regarding Claim 64, Schroeppel discloses performing at least one heart rate variability test during the user's sleep period (see col. 13, lines 27-31). Schroeppel does not elaborate on the determination of when the user has fallen asleep. Halyak discloses the recognition of the beginning of the sleep stage (see col. 4, lines 29-39 and Figure 3). It would have been obvious to one of ordinary skill in the art at the time of the invention to determine when the user has fallen asleep before performing the heart rate variability test because Schroeppel teaches that the zones will be different during sleep than what they are when the user is awake (see col. 13, lines 24-35). Also, it would be helpful to know when sleep has begun if the goal is to monitor HRV during sleep.

17. Regarding Claim 65, modified Halyak discloses a timer (see clock 18), wherein the timer is capable of timing the duration of the monitoring of the heart rate variability data (see col. 4, lines 15-17). The timer helps the microprocessor write the HRV data to memory at specified time intervals (see col. 4, lines 19-20). Thus, the timer is timing when to start and stop the monitoring-- in other words the duration of the monitoring. Although Halyak does not explicitly disclose time-stamping the data, the examiner considers that clock 18 automatically time-stamps the data being that the data would be useless to the user if it did not contain information about when each sleep stage occurred and how long they lasted (see col. 4, lines 25-28). Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to time-stamp the HRV data so that it can be analyzed afterwards.

18. Regarding Claim 66, modified Halyak discloses that the timer is capable of timing the duration of the heart rate variability test (see col. 4, lines 17-20). Since the heart rate variability test is performed during specified time intervals determined by the timer (clock 18), the duration is already timed and known.

19. Regarding Claim 67, modified Halyak discloses a waking prompt, but does not explicitly disclose that the waking prompt is activated when REM sleep is recognized. However, it would be obvious to one of ordinary skill in the art at the time of the invention, to activate the prompt at some point in the sleep cycle because the applicant has not disclosed an apparent advantage of waking the user up at the immediate start of REM over waking the user up some time before REM, during non-REM. Waking someone up during non-REM sleep is going to give similar results to waking someone

Art Unit: 3766

up just as soon as REM is detected. If the applicant were merely trying to prevent grogginess, then waking up a patient during non-REM would do the same thing. In essence, activating the waking prompt when REM is recognized is an obvious choice by anyone looking to prevent grogginess.

20. Regarding Claim 68, modified Halyak discloses a processor that is capable of discerning and counting REM sleep state cycles and wherein the waking prompt is activated after a specified number of REM sleep state cycles are completed by a user (see col. 3, lines 27-33).

21. Claims 69-70 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schroepfel et al. (US Patent 6,571,122) and Halyak et al. (US Patent 5,928,133), as applied to Claim 54 above, in view of Atlas et al. (US Patent 6,265,978).

22. Regarding Claim 69, Schroepfel discloses a processor capable of monitoring heart rate variability data during a user's sleep period (see col. 13, lines 27-31).

However, Schroepfel does not disclose the detection of a sleep apnea event. Modified Halyak also fails to elaborate on sleep apnea events. Atlas discloses a similar wrist-worn monitor that can be used to identify sleep apnea (see col. 10, lines 1-3). Because Atlas teaches that apnea detection would be particularly applicable in sleep monitoring, one of ordinary skill in the art at the time of the invention would have found it obvious to provide such a feature in modified Halyak's sleep monitor, which also seeks to provide user's with information about their awakening points and sleep interruptions (see '133 col. 2, lines 64-68).

Art Unit: 3766

23. Regarding Claim 70, modified Halyak discloses a waking prompt, wherein the waking prompt is activated when physiological information is detected (see col. 3, lines 17-20). Halyak does not disclose that the physiological information may include the presence of apnea. Because Altas teaches that apnea detection would be particularly applicable in sleep monitoring (see col. 10, lines 1-3), one of ordinary skill in the art at the time of the invention would have found it obvious to incorporate a waking prompt in Halyak's sleep monitoring and awakening device especially since apnea would entail temporary wakefulness and according to Halyak, it would be optimal to prompt a person at an already wakeful time (see col. 4, lines 38-44).

24. Claims 71-73 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schroepel et al. (US Patent 6,571,122) and Halyak et al. (US Patent 5,928,133), as applied to Claim 53 above, in view of Gomes et al. (US Patent 4,570,637).

25. Regarding Claims 71-73, Halyak discloses that the sensors of monitor 14 are staodyn brand graphite impregnated vinyl electrodes. Halyak does not disclose a porous, conductive membrane disposed on the back surface of the monitor and having contact with the user's skin to increase the monitor's ability to pick up the ECG signals. Nor does Halyak disclose a conductive gel being incorporated into the pores of the conductive membrane to increase the monitor's ability to pick up the ECG signals. However, it is well known and common to incorporate these elements on a monitor having a sensor-type device especially because they are readily used with electrodes, whose main function is picking up ECG signals. Gomes is cited for his use of an electrode having a porous, conductive membrane impregnated with a conductive gel to

increase the conductivity of the electrode thereby making it easy to pick up signals (see col. 5, line 62- col. 6, line 7). Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to apply the same materials used to enhance a single electrode to enhance the conductivity between Halyak's monitor and the skin because the monitor relies on analyzing the ECG signals and the better the signals, the more accurate the analysis.

26. Claims 74-76 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schroeppel et al. (US Patent 6,571,122) and Halyak et al. (US Patent 5,928,133), as applied to Claim 54 above, in view of Lind et al. (US Patent 6,889,165).

27. Regarding Claim 74, Halyak does not disclose using his heart rate monitor to control appliances in a home. Lind discloses a wrist-worn smart sensor module that monitors heart rate and downloads the data to a remote computer (see col. 11, lines 40-55). Lind discloses home information paths from the wrist worn heart rate monitor to each room (see pico-mode controller 215, Figure 11); at least one home control unit receiver (see site node controller 230) connectable to the transmission paths, installed in selected rooms for transmitting and receiving information along the transmission paths. The examiner considers the home control unit receivers are capable of being in separate rooms even though it is not explicitly disclosed because the information paths use communications means that can handle remote information transmission. Lind also discloses a central home control unit (see central network node 235), connectable to the transmission paths, the at least one home control unit receiver and to appliances in the rooms (see col. 12, lines 33-40). The examiner considers that the transmission paths

can be established between the central home control unit and the appliances in the rooms as long as the appliances are smart appliances and have compatible sensor modules with which they can transmit/receive data. Lind does not disclose that the wrist worn heart rate variability monitor is capable of transmitting an awake signal or a sleep signal to the at least one home control unit receiver based upon heart rate variability data. Nor does Lind disclose that the control unit receives the awake or sleep signal transmitted by the at least one control unit receiver, wherein when an awake signal is transmitted to the appliances by the computer, the appliances are turned on and when a sleep signal is transmitted by the computer, the appliances are turned off. However, just as Lind teaches that the computer receiving the heart rate data can be programmed to dial 911 in case of an emergency, it would be obvious to one of ordinary skill in the art at the time of the invention to program the computer to turn the appliances on and off according to the type of signal received from the heart monitor (see col. 11, lines 49-55) especially because some of the benefits of the smart sensor modules are minimal energy usage, as taught by Lind (see col. 10, lines 47-49 and 55-59).

28. Regarding Claims 75-76, Lind discloses that the home information transmission pathways are capable of receiving wireless transmission or electronic transmission from the monitor, the pathways wirelessly transmitting the signal to the central home control unit and the pathways wirelessly transmitting (see col. 4, lines 46-48) or electronically transmitting (see internet links, col. 7, lines 43-47) the signal to the home appliances. Although Lind does not disclose that the signal is a wake or sleep signal, Lind does

Art Unit: 3766

disclose that heart rate data is transferred as a signal and the heart rate data encompasses the wake or sleep signal.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Natasha N. Patel whose telephone number is 571-272-5818. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela D. Sykes can be reached on 571-272-4955. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Natasha N Patel
Patent Examiner
Art Unit 3766



/Kennedy J. Schaetzle/
Primary Examiner, AU 3766
June 20, 2007